

**RT4-2023 –
SUPPLY AND DELIVERY OF EMERGENCY AND RESCUE
EQUIPMENT TO THE STATE FOR THE PERIOD
01 SEPTEMBER 2023 – 31 AUGUST 2028**

ITEM NUMBER	SPECIFICATION	PICTURE
PERSONAL PROTECTION EQUIPMENT		
RT4-01-001	<p><u>SWIFT WATER RESCUE HELMET</u> HELMET FOR WATER SPORT STANDARD: CE EN 1385 SIZE: 54/61 cm. WEIGHT: 385 gr. LIFETIME: 10 YEARS TECHNICAL DATA SHEET:</p> <ul style="list-style-type: none"> • POLYSTIRENE INNER SHELL (EPS) • ABS EXTERNAL SHELL MATERIAL • QUICK RELEASE BUCKLE <p>PRICE: R 1,335.00 EACH INCL VAT</p>	 CAT NO: RW02
RT4-01-002	<p><u>MOUNTAIN RESCUE HELMET</u> HELMET FOR MOUNTAINEERING STANDARD: EN 12492:2012 SIZE: 54/62 cm. WEIGHT: 350 gr. LIFETIME: 10 YEARS TECHNICAL DATA SHEET:</p> <ul style="list-style-type: none"> • POLYSTIRENE INNER SHELL (EPS) • ABS EXTERNAL SHELL MATERIAL • UP/DOWN ADJUSTABLE SIZE SYSTEM FOR A PERFET FITTING • QUICK RELEASE BUCKLE • CHINSTRAP RESISTANCE >50DAN • HEADLAMP CLIPS • REMOVABLE CHINSTRAP • REMOVABLE AND WASHABLE INNER PADDINGS <p>PRICE: R 965.00 EACH INCL VAT</p>	 CAT NO: ACCH08.2

ITEM NUMBER	SPECIFICATION	PICTURE
RESCUE EQUIPMENT		
RT4-02-068	<p><u>RESCUE PULLEY (ALUMINIUM) 2.5-INCH DOUBLE</u></p> <ul style="list-style-type: none"> • Durable and lightweight double pulley for industrial use and hauling systems • For use with static and dynamic textile ropes • Sealed ball bearing and large diameter of the sheave provide great efficiency 94% • Designed and optimized for use with a Prusik friction knot or any clamps • Top attachment point accepts up to three carabiners • Formed side plates provides protection of rope against contact with a surrounding • Fixed-by-forging sheave and anti dust cover of ball bearing provides great lifespan • Side plate holes enable cleaning of the ball-bearing surrounding • Bottom attachment point 12 Kn • Unique production number marking <p>PRICE: R 1,445.00 EACH INCL VAT</p>	 <p>CAT NO: PP08</p>
RT4-02-069	<p><u>RESCUE PULLEY (ALUMINIUM) 2.5-INCH SINGLE</u></p> <ul style="list-style-type: none"> • Durable and lightweight single pulley for industrial use and hauling systems • For use with static and dynamic textile ropes • Sealed ball bearing and large diameter of the sheave provide great efficiency 94% • Designed and optimized for use with a Prusik friction knot or any clamps • Top attachment point accepts up to three carabiners • Formed side plates provides protection of rope against contact with a surrounding • Fixed-by-forging sheave and anti dust cover of ball bearing provides great lifespan • Side plate holes enable cleaning of the ball-bearing surrounding • Unique production number marking <p>PRICE: R 825.00 EACH INCL VAT</p>	 <p>CAT NO: PP07</p>

ITEM NUMBER	SPECIFICATION	PICTURE
RT4-02-070	<p><u>RESCUE PULLEY (ALUMINIUM) 3.5-INCH SINGLE</u></p> <ul style="list-style-type: none"> • Durable and lightweight single pulley for industrial use and hauling systems • For use with static and dynamic textile ropes • Sealed ball bearing and large diameter of the sheave provide great efficiency 94% • Designed and optimized for use with a Prusik friction knot or any clamps • Top attachment point accepts up to three carabiners • Formed side plates provides protection of rope against contact with a surrounding • Fixed-by-forging sheave and anti dust cover of ball bearing provides great lifespan • Side plate holes enable cleaning of the ball-bearing surrounding • Unique production number marking <p>PRICE: R 825.00 EACH INCL VAT</p>	 <p>CAT NO: PP07</p>
RT4-02-097	<p><u>STEEL CABLE SLING – SMALL (3FT)</u></p> <ul style="list-style-type: none"> • 8mm steel cable with PVC coating (total diameter is 8mm) • Work load limit(WLL) – 600kg (safety factor of 6:1) • Soft edge Aluminium ferrules • SANS7531 SWR slings for general purposes • ID tag with Individual Serial number and batch number • Supplied with Batch certificates <p>PRICE: R 180.00 EACH INCL VAT</p>	 <p>CAT NO: PRA02</p>
RT4-02-098	<p><u>STEEL CABLE SLING – MEDIUM (4FT)</u></p> <ul style="list-style-type: none"> • 8mm steel cable with PVC coating (total diameter is 8mm) • Work load limit(WLL) – 600kg (safety factor of 6:1) • Soft edge Aluminium ferrules • SANS7531 SWR slings for general purposes • ID tag with Individual Serial number and batch number • Supplied with Batch certificates <p>PRICE: R 185.00 EACH INCL VAT</p>	 <p>CAT NO: PRA01</p>
RT4-02-099	<p><u>STEEL CABLE SLING – LARGE (5FT)</u></p> <ul style="list-style-type: none"> • 8mm steel cable with PVC coating (total diameter is 8mm) • Work load limit(WLL) – 600kg (safety factor of 6:1) • Soft edge Aluminium ferrules • SANS7531 SWR slings for general purposes • ID tag with Individual Serial number and batch number • Supplied with Batch certificates <p>PRICE: R 195.00 EACH INCL VAT</p>	 <p>CAT NO: PRA03</p>

ITEM NUMBER	SPECIFICATION	PICTURE
RT4-02-100	<p><u>STEEL CABLE SLING – X-LARGE (6FT)</u></p> <ul style="list-style-type: none"> • 8mm steel cable with PVC coating (total diameter is 8mm) • Work load limit(WLL) – 600kg (safety factor of 6:1) • Soft edge Aluminium ferrules • SANS7531 SWR slings for general purposes • ID tag with Individual Serial number and batch number • Supplied with Batch certificates <p>PRICE: R 205.00 EACH INCL VAT</p>	 <p>CAT NO: PRA04</p>
RT4-02-129	<p><u>SPECIALIZED STRETCHER SYSETEM – CONFINED SPACE STETCHER SYSTEM FOR RESCUE PURPOSES</u></p> <p>The RL1000 is the most basic of the rollup stretchers from Kohlbrat & Bunz. Lightweight, packable and versatile the rollup stretchers are the go-to stretcher for mountain and urban rescue.</p> <p>PRICE: R 25,900.00 EACH INCL VAT</p>	 <p>CAT NO: HRSTRL1000</p>
RT4-02-141	<p><u>RESCUE SWIVEL</u></p> <p>Material: Weight: 90g Strenght: 22kN Working load: 4kN Color: yellow / antracid aluminum alloy Intended for working at heights and climbing Unique number marking Ball-bearing : working-load 4 kN – Minimum breaking strength: 22 kN</p> <p>PRICE: R 775.00 EACH INCL VAT</p>	 <p>CAT NO: PR03</p>
RT4-02-142	<p><u>MAILLON</u></p> <p>Maillon Rapide quick links used as a connector on P.P.E. (personal protective equipment) against falls from heights, mountaineering and rock climbing, are distinguished by a specific marking. Breaking load – 8mm: 2800kg / 27.5kn</p> <p>PRICE: R 160.00 EACH INCL VAT</p>	 <p>CAT NO: PCM01</p>

ITEM NUMBER	SPECIFICATION	PICTURE
RT4-02-171	<p><u>ADJUSTABLE LANYARD FITTED WITH A DIRECTIONAL CONNECTOR WITH WITH VERY LARGE GATE OPENING AND AUTOMATIC LOCKING – LENGTH 3M</u></p> <p>The work positioning lanyard with great handling makes your work safe and efficient</p> <ul style="list-style-type: none"> • 11 mm rope sewn-in unopenable version of LOCKER • rope clamp - rope covered with tubular webbing • parking cam for blocking in required position • available with stitched-in connector in accordance with EN 362 • Weight: 410 g 560 g (with connector K350) • Strength: 15 kN • Length: 2 m, 4 m • Diameter of rope: 11 mm • Materials: Rock clamp: dural • Rope: polyamid • Colour: Rock clamp: black • Rope: white • Rope protector: black <p>PRICE: R 1,825.00 EACH INCL VAT</p>	 <p>CAT NO: SSA01/4 SCAFF</p>
RT4-02-217	<p><u>RESCUE CARABINEERS STAINLESS STEEL AUTO LOCK</u></p> <p>Versatile HMS locking biner designed for belaying, rappelling and anchor building.</p> <ul style="list-style-type: none"> • hot-forged I-beam construction makes the carabiner extremely strong, stiff and light; • large rope bearing area for better rope glide and reduced wear on the carabiner; • pear-shaped basket facilitates belaying with the Münter hitch or other belay devices; • angled snag free Keylock nose for smooth clipping and unclipping maneuvers; • opening and basket area are large enough to easily accommodate the clove hitch; • twist lock gate prevents from accidental gate opening ; • available also with screw and triple lock gate, all of them easy to handle; • each carabiner is individually tested for the strength 10 kN; • unique production number for better traceability and inspection; • certified for both sport and industrial use. <p>PRICE: R 305.00 EACH INCL VAT</p>	 <p>CAT NO: PCLS042</p>

ITEM NUMBER	SPECIFICATION	PICTURE
RT4-02-218	<p><u>RESCUE CARABINEERS STAINLESS STEEL SCREW GATE</u></p> <p>Versatile HMS locking biner designed for belaying, rappelling and anchor building</p> <ul style="list-style-type: none"> • hot-forged I-beam construction makes the carabiner extremely strong, stiff and light • large rope bearing area for better rope glide and reduced wear on the carabiner • pear-shaped basket facilitates belaying with the Münter hitch or other belay devices • angled snag free Keylock nose for smooth clipping and unclipping maneuvers • opening and basket area are large enough to easily accommodate the clove hitch • screw locking sleeve for great handling and effective locking • for better gear management the screw locks are in three different colors • available also with twist and triple lock gate, all of them easy to handle • each carabiner is individually tested for the strength 10 Kn • unique production number for better traceability and inspection • certified for both sport and industrial use <p>PRICE: R 225.00 EACH INCL VAT</p>	 <p>CAT NO: PCLS04</p>
RT4-02-220	<p><u>MPD</u></p> <p>The RD2 is a robust self-braking descender designed for experienced users in rescue and rope access. Tested to EN12841:C it has a WLL of 140kg and for rescue purposes a WLL of 200kg. It incorporates a high-efficiency (one-way) pulley wheel with an 88% efficiency on a 1:1 haul. The integrated becket allows the user to set up mechanical advantage systems directly off the device.</p> <ul style="list-style-type: none"> • Weight : 790g • WLL : 140kg or 200kg under rescue conditions • Suitable for 11mm EN1891 rope • Compliance : EN12841:C <p>PRICE: R 12,590.00 EACH INCL VAT</p>	 <p>CAT NO: RD2</p>

ITEM NUMBER	SPECIFICATION	PICTURE
RT4-02-221	<p><u>RESCUE FIGURE OF 8 (ALUMINIUM)</u> A light Alloy special figure eight for the rescue situations and fast rappeling.</p> <ul style="list-style-type: none"> • special shape for multiple rope locking • allows rappeling with heavy loads • high strength • wide range of rope diameters <p>Color: black matt Weight: 154 g • 5.43 oz Material: light-alloy Strength: 40 kN PRICE: R 755.00 EACH INCL VAT</p>	 <p>CAT NO: PD2</p>
RT4-02-268	<p><u>TWO (2) PERSON TENT</u></p> <ul style="list-style-type: none"> • Sleeps: 2 • Packed weight: 2.35Kg (5lb 3oz) • Packed size: 32cm x 21cm • Season: 3 season • Number of porches: 2 • Number of doors: 2 • Flysheet: 68d 210T R/S PU 4000mm FR WR C6 • Inner: 68d 210T R/S BR / FR • Groundsheet: 68d 190t PU 5000mm FR WR C6 • Poles: 8.5mm Superflex Alloy • Pegs: 10 x Alloy 'V' Angle • Guylines: 4 x Yellow Reflective • Pitch type: Fly and inner pitch together <p>PRICE: R 6,780.00 EACH INCL VAT</p>	 <p>CAT NO: TDW36.01</p>

ITEM NUMBER	SPECIFICATION	PICTURE
RT4-02-270	<p><u>SELF-INFLATING HIKING MATTRESS</u> Light and compact self inflating mattress providing desirable comfort and support as well as favourable packed size. Ranges from 2cm/0.75" to 3.8cm/1.5" thickness. Various shapes suit different needs. For Rectangular model, Diamond die cut for weight saving. For Mummy model, ergonomic designed shape fits your body as well as your sleeping bag. Dot die cut, tapered top and bottom help to shave extra weight. Anti-fungal treated foam.</p> <ul style="list-style-type: none"> • Inflates to 3.8cm thickness • Screw valve • Mummy shaped 75D nylon • Diamond Ripstop fabric Diamond die cut foam reduces weight while retaining insulation & support • Anti-fungal treated foam • Repair kit included • Stuff bag included • Velcro tie strap included • Estimated R-Value: ~ 3.8 (1.5"/3.8cm) Size: 183cm Long x 51cm Wide x 3.8cm Thick • Pack size: 29 x Ø18cm • Weight: 795g • Colour Red <p>PRICE: R 1,225.00 EACH INCL VAT</p>	 <p>CAT NO: MAT-LMT015</p>
RT4-02-274	<p><u>ROPE BAG – 100M</u></p> <ul style="list-style-type: none"> • A large haul bag with shoulder straps and haul loop. • A simple closing mechanism, drainage hole and brightly coloured in either orange or yellow. <p>PRICE: R 470.00 EACH INCL VAT</p>	 <p>CAT NO: RB003.2</p>

ITEM NUMBER	SPECIFICATION	PICTURE
RT4-02-286	<p><u>ENERGY ABSORBING LANYARD</u> Lightweight, practical shape does not restrict users at the work. Designed for users with a maximum weight of 140 kg (including equipment). Optional length of lanyards for diverse work. Newly tested for horizontal use and a resulting simulated fall over edge PRICE: R 1,340.00 EACH INCL VAT</p>	 <p>CAT NO: SLSA02.1</p>
RT4-02-287	<p><u>25MM LIFE SAFE WEBBING</u> The TUBULAR TAPE is a 26mm wide American type strap. This system allows for soft, flexible straps with a good grip.</p> <ul style="list-style-type: none"> • Standards : CE EN565 • Reference : BST26 • Material : Polyamide • Weight per metre : 38g • Breaking load : 1500daN • Colours: Red, Blue, Black <p>PRICE: R 45.00 EACH INCL VAT</p>	 <p>CAT NO: SW26/2</p>
RT4-02-289	<p><u>RESCUE HIKING BACKPACK</u> The Vango Sherpa 70:80 rucksack is one of the most popular hiking rucksacks. Updated for 2022, Sherpa joins Vango's Earth Collection. The Sherpa is extremely practical and durable. Providing optimum fit through its Self Adjust Back System and a steady air flow through the shoulder straps due to Air Mesh, it's the perfect companion for those doing multi-day treks and activities. The Sherpa is part of the recommended kit by The Duke of Edinburgh's Award. The <u>Vango Hydrant Pack</u> is the perfect accessory to your hydration compatible bag PRICE: R 4,035.00 EACH INCL VAT</p>	 <p>CAT NO: BPKSHERP.01</p>

ITEM NUMBER	SPECIFICATION	PICTURE
AMBULANCE AND EMERGENCY EQUIPMENT		
RT4-06-044	<p><u>INTRA-OSSEOUS INFUSION DEVICE - ADULT</u></p> <p>These needles are a stylet/catheter combination <i>meant to be used with the SAM IO Driver.</i></p> <p>The snap-fit connection keeps the needle in place while the manually-actuated driver helps with precise placement.</p> <p>The needle-tip geometry efficiently penetrates cortical bone for ease of placement.</p> <p>These needles are offered in three different sizes (15 mm, 25 mm, 45 mm) for various uses that can be used in a variety of patient sizes and application sites.</p> <p>PRICE: R 1,850.00 EACH INCL VAT PER NEEDLE</p> <p><i>NB: DRILL CAN BE PURCHASED AT R2,875.00 EACH INCL VAT</i></p>	 <p>CAT NO: 10706-SP-EN</p>
RT4-06-045	<p><u>INTRA-OSSEOUS INFUSION DEVICE - PAEDIATRIC</u></p> <p>These needles are a stylet/catheter combination <i>meant to be used with the SAM IO Driver.</i></p> <p>The snap-fit connection keeps the needle in place while the manually-actuated driver helps with precise placement.</p> <p>The needle-tip geometry efficiently penetrates cortical bone for ease of placement.</p> <p>These needles are offered in three different sizes (15 mm, 25 mm, 45 mm) for various uses that can be used in a variety of patient sizes and application sites.</p> <p>PRICE: R 1,850.00 EACH INCL VAT PER NEEDLE</p> <p><i>NB: DRILL CAN BE PURCHASED AT R2,875.00 EACH INCL VAT</i></p>	 <p>CAT NO: 10705-SP-EN</p>